

Contents

Leading articles

- Benefits and concerns of simplification strategies in HIV-infected patients
E. Negredo, A. Bonjoch and B. Clotet **235**

Reviews

- Macrolide resistance in *Campylobacter jejuni* and *Campylobacter coli*
A. Gibreel and D. E. Taylor **243**
- Pharmacokinetics and pharmacodynamics of the tetracyclines including glycylcyclines
K. N. Agwuh and A. MacGowan **256**
- Probiotics for prevention of recurrent vulvovaginal candidiasis: a review
M. E. Falagas, G. I. Betsi and S. Athanasiou **266**



Systematic reviews

- Linezolid for the treatment of patients with endocarditis: a systematic review of the published evidence
M. E. Falagas, K. G. Manta, F. Ntziora and K. Z. Vardakas **273**
- Use of chlorhexidine-impregnated dressing to prevent vascular and epidural catheter colonization and infection: a meta-analysis
K. M. Ho and E. Litton **281**

Original articles

- Molecular characteristics of class 1 and class 2 integrons and their relationships to antibiotic resistance in clinical isolates of *Shigella sonnei* and *Shigella flexneri*
J.-C. Pan, R. Ye, D.-M. Meng, W. Zhang, H.-Q. Wang and K.-Z. Liu **288**
- Characterization of antimicrobial resistance and class 1 and 2 integrons in *Salmonella enterica* isolates from different sources in Portugal
P. Antunes, J. Machado and L. Peixe **297**
- Occurrence of integrons and antimicrobial resistance genes among *Salmonella enterica* from Brazil
G. Peirano, Y. Agersø, F. M. Aarestrup, E. Moura Falavina dos Reis and D. dos Prazeres Rodrigues **305**
- Antimicrobial resistance in non-typhoidal *Salmonella* from human sources, Spain, 2001–2003
P. Soler, R. González-Sanz, M. J. Bleda, G. Hernández, A. Echeíta and M. A. Usera **310**
- A novel ceftazidime-hydrolysing extended-spectrum β -lactamase, CTX-M-54, with a single amino acid substitution at position 167 in the omega loop
I. K. Bae, B. H. Lee, H. Y. Hwang, S. H. Jeong, S. G. Hong, C. L. Chang, H.-S. Kwak, H. J. Kim and H. Youn **315**
- Prevalence and mechanisms of cephalosporin resistance in Enterobacteriaceae in London and South-East England
N. A. C. Potz, R. Hope, M. Warner, A. P. Johnson and D. M. Livermore on behalf of the London & South East ESBL Project Group **320**
- A new rapid and simple colorimetric method to detect pyrazinamide resistance in *Mycobacterium tuberculosis* using nicotinamide
A. Martin, H. Takiff, P. Vandamme, J. Swings, J. Carlos Palomino and F. Portaels **327**

| | |
|---|------------|
| Synergistic interactions of SQ109, a new ethylene diamine, with front-line antitubercular drugs <i>in vitro</i> <i>P. Chen, J. Gearhart, M. Protopopova, L. Einck and C. A. Nacy</i> | 332 |
| Comparative activity of the new lipoglycopeptide telavancin in the presence and absence of serum against 50 glycopeptide non-susceptible staphylococci and three vancomycin-resistant <i>Staphylococcus aureus</i> <i>K. D. Leuthner, C. M. Cheung and M. J. Rybak</i> | 338 |
| Antibiotic resistance of coliform organisms from community-acquired urinary tract infections in Zenica-Doboj Canton, Bosnia and Herzegovina <i>S. Uzunovic-Kamberovic</i> | 344 |
| A pharmacodynamic approach to antimicrobial activity in serum and epithelial lining fluid against <i>in vivo</i> -selected <i>Streptococcus pneumoniae</i> mutants and association with clinical failure in pneumonia <i>L. Alou, M.-J. Giménez, D. Sevillano, L. Aguilar, F. Cafini, O. Echeverría, E. Pérez-Trallero and J. Prieto</i> | 349 |
| Effect of flavophospholipol on conjugation frequency between <i>Escherichia coli</i> donor and recipient pairs <i>in vitro</i> and in the chicken gastrointestinal tract <i>T. L. Poole, J. L. McReynolds, T. S. Edrington, J. A. Byrd, T. R. Callaway and D. J. Nisbet</i> | 359 |
| Single-dose pharmacokinetics of fosfomycin during continuous venovenous haemofiltration <i>R. Gatringer, B. Meyer, G. Heinz, C. Guttmann, M. Zeitlinger, C. Joukhadar, P. Dittrich and F. Thalhammer</i> | 367 |
| Population pharmacokinetics of gentamicin in premature newborns <i>B. García, E. Barcia, F. Pérez and I. T. Molina</i> | 372 |
| Which reliable pharmacodynamic breakpoint should be advised for ciprofloxacin monotherapy in the hospital setting? A TDM-based retrospective perspective <i>F. Pea, D. Poz, P. Viale, F. Pavan and M. Furlanut</i> | 380 |
| The influence of metallo- β -lactamase production on mortality in nosocomial <i>Pseudomonas aeruginosa</i> infections <i>A. P. Zavascki, A. L. Barth, A. L. S. Gonçalves, A. L. D. Moro, J. F. Fernandes, A. F. Martins, F. Ramos and L. Z. Goldani</i> | 387 |
| Association of total bilirubin with indinavir and lopinavir plasma concentrations in HIV-infected patients receiving three different double-boosted dosing regimens <i>R. Dicenzo, A. Luque, P. Larpanichpoonphol and R. Reichman</i> | 393 |
| European Surveillance of Antimicrobial Consumption (ESAC): outpatient antibiotic use in Europe <i>M. Ferech, S. Coenen, S. Malhotra-Kumar, K. Dvorakova, E. Hendrickx, C. Suetens and H. Goossens on behalf of the ESAC Project Group</i> | 401 |
| Brief reports | |
| European Surveillance of Antimicrobial Consumption (ESAC): outpatient penicillin use in Europe <i>M. Ferech, S. Coenen, K. Dvorakova, E. Hendrickx, C. Suetens and H. Goossens on behalf of the ESAC Project Group</i> | 408 |
| European Surveillance of Antimicrobial Consumption (ESAC): outpatient cephalosporin use in Europe <i>S. Coenen, M. Ferech, K. Dvorakova, E. Hendrickx, C. Suetens and H. Goossens on behalf of the ESAC Project Group</i> | 413 |
| European Surveillance of Antimicrobial Consumption (ESAC): outpatient macrolide, lincosamide and streptogramin (MLS) use in Europe <i>S. Coenen, M. Ferech, S. Malhotra-Kumar, E. Hendrickx, C. Suetens and H. Goossens on behalf of the ESAC Project Group</i> | 418 |
| European Surveillance of Antimicrobial Consumption (ESAC): outpatient quinolone use in Europe <i>M. Ferech, S. Coenen, S. Malhotra-Kumar, K. Dvorakova, E. Hendrickx, C. Suetens and H. Goossens on behalf of the ESAC Project Group</i> | 423 |
| Molecular typing of methicillin-resistant staphylococci isolated from cats and dogs <i>S. Malik, G. W. Coombs, F. G. O'Brien, H. Peng and M. D. Barton</i> | 428 |
| Molecular characterization of an <i>Escherichia coli</i> clinical isolate that produces both metallo- β -lactamase VIM-2 and extended-spectrum β -lactamase GES-7: identification of the <i>In8</i> integron carrying the <i>bla</i> _{VIM-2} gene <i>I. Galani, M. Souli, E. Koratzanis, Z. Chryssouli and H. Giamarellou</i> | 432 |

| | |
|---|-----|
| Proteomic analysis of experimentally induced azole resistance in <i>Candida glabrata</i> <i>P. David Rogers, J.-P. Vermitsky, T. D. Edlind and G. M. Hilliard</i> | 434 |
| Effects of a high-molecular-weight cranberry fraction on growth, biofilm formation and adherence of <i>Porphyromonas gingivalis</i> <i>J. Labrecque, C. Bodet, F. Chandad and D. Grenier</i> | 439 |
| Mechanisms of the post-antibiotic effects induced by rifampicin and gentamicin in <i>Escherichia coli</i> <i>W. Stubbings, J. Bostock, E. Ingham and I. Chopra</i> | 444 |
| Susceptibility of pseudomonads to <i>Melaleuca alternifolia</i> (tea tree) oil and components <i>C. J. Papadopoulos, C. F. Carson, K. A. Hammer and T. V. Riley</i> | 449 |
| Antibacterial activity of YC-20, a new oxazolidinone <i>Y. Cui, Y. Dang, Y. Yang, S. Zhang and R. Ji</i> | 452 |
| Reversing methicillin resistance in MRSA using a bacterial transforming agent <i>B. E. Carey and S. J. Dancer</i> | 455 |
| Caspofungin activity against clinical isolates of azole cross-resistant <i>Candida glabrata</i> overexpressing efflux pump genes <i>B. Posteraro, M. Sanguinetti, B. Fiori, M. La Sorda, T. Spanu, D. Sanglard and G. Fadda</i> | 458 |
| Efficacy of telavancin in a murine model of bacteraemia induced by methicillin-resistant <i>Staphylococcus aureus</i> <i>N. Reyes, R. Skinner, B. M. Benton, K. M. Krause, J. Shelton, G. P. Obedencio and S. S. Hegde</i> | 462 |
| Efficacy of Abelcet alone, or in combination therapy, against experimental central nervous system aspergillosis <i>K. V. Clemons, R. Parmar, M. Martinez and D. A. Stevens</i> | 466 |
| <i>In vitro</i> susceptibility of Gram-positive pathogens to linezolid and teicoplanin and effect on outcome in critically ill patients <i>A. Peter R. Wilson, J. A. Cepeda, S. Hayman, T. Whitehouse, M. Singer and G. Bellingan</i> | 470 |
| Effect of fluconazole consumption on long-term trends in candidal ecology <i>S. Blot, R. Janssens, G. Claeys, E. Hoste, F. Buyle, J. J. De Waele, R. Peleman, D. Vogelaers and K. Vandewoude</i> | 474 |
| <hr/> | |
| Correspondence | |
| Comment on: Empirical antibiotic monotherapy for febrile neutropenia: systematic review and meta-analysis of randomized controlled trials <i>K. V. I. Rolston and G. P. Bodey</i> | 478 |
| Empirical antibiotic monotherapy for febrile neutropenia: systematic review and meta-analysis of randomized controlled trials: authors' response <i>M. Paul, A. Fraser and L. Leibovici</i> | 479 |
| The 'Oxford Staphylococcus': a note of caution <i>A. M. Kearns, M. Ganner and A. Holmes</i> | 480 |
| Development of decreased susceptibility to daptomycin and vancomycin in a <i>Staphylococcus aureus</i> strain during prolonged therapy <i>P. G. Mariani, H. S. Sader and R. N. Jones</i> | 481 |
|  Ritonavir-dependent fluconazole boosting of nelfinavir: a report of three cases <i>S. Garazzino, M. Tettoni, A. Calcagno, A. D'Avolio, S. Bonora and G. Di Perri</i> | 483 |
|  Non-nucleoside-reverse-transcriptase-inhibitor-based HAART and osteoporosis in HIV-infected subjects <i>M. Bongiovanni, A. Fausto, P. Cicconi, A. Aliprandi, G. Cornalba, T. Bini, F. Sardanelli and A. D'Arminio Monforte</i> | 485 |
| <hr/> | |
| Book review | 487 |
| Erratum | 488 |